APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of i	iling in State Engineer's Office FEB U 4 1992
Returned	to applicant for correction
	d application filed
Map file	FEB 0 4 1992 under 57133
	applicant Cortez Joint Venture
	tar Route, Box HC 66-50
N	evada: 89821 , hereby make S. application for permission to appropriate the public State and Zip Code No.
	f the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartne	rship or association, give names of members.) a joint venture of Placer Dome U.S. Inc.
****	and Kennecott Corporation
1 TL-	
1. 1ne	source of the proposed appropriation is underground Name of stream, lake, spring, underground or other source
	1.0 - 5 -
	amount of water applied for is 1.0 C.f.s. second-feet One second-feet equals 448.83 gals. per min.
	If stored in reservoir give number of acre-feet
3. The	water to be used for mining, milling; dewatering and domestic Irrigation, power, mining, manufacturing, domestic, or other use. Most limit to one use.
	se is for:
(a) I	rrigation, state number of acres to be irrigated
(b) :	Stockwater, state number and kinds of animals to be watered
(c) (Other use (describe fully under No. 12. "Remarks"
(d) l	Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5. The	water is to be diverted from its source at the following point within the SW. SW. Sec. 6. T.27N Describe as being within a 40-acre subdivision of public
	Describe as being within a 40-acre subdivision of public 47F MDM from which the SE corner of Sec. I. T.27N R.46E. bears S. 39° 38 (and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
	, and by churse and distance to a section corner. If on unsurveyed land, it should be so stated.
	c of useAll of unsurveyed Sections 5 and 6, T.27N., R.47E., and all of Sections Describe by logal subdivision. If on unsurveyed land, it should be so stated. 1 and 32, T.28N., R.47E., M.D.M.
*******	· ; ; · · · · · · · · · · · · · · · · ·
7. Use	will begin about January I and end about December 31 of each year. Month and Day Month and Day
	cription of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
spec	ifications of your diversion or storage works.) Drilled well, casing, pump and motor, with State manner in which water is to be diverted, i.e. diversion structure, ditches and
<u>D</u> flumes	ipelines to place of use.

网络大嘴蛇 大人 计数据数

9	Estimated cost of works \$200,000.00	
10.	Estimated time required to construct works. 3 years	be works.
11.	Estimated time required to complete the application of water to beneficial use8.	years
12.	Remarks: For use other than irrigation or stock watering, state number and type of	units to be served or annual
	Consumptive use: This and 15 companion applications seek to appropriate 40 c.	f.s., the estimated
	amount needed for mining, milling, dewatering and domestic p	ourposes. Estimated
	annual consumptive use: 1,061.573 m.g.a. for mining & millir for dewatering for the combined 16 applications. Please send and correspondence to the undersigned agent	ng 8,374.457 m.g.a. I copies of notices
	By s/William A. Nisbet 421 Court Street	. agent
Cor	mpared bc/bc ab/vw Elko, Nevada 89801	
	tested 4/15/92 by: Lander County: 4/21/92 by: Pershing County: Pro. wdr. 6-3-93	
	APPROVAL OF STATE ENGINEER	
tha of v	This permit is issued subject to having no adverse impacts of understood that the amount of water herein granted is only a to t the final water right obtained under this permit will be dep water actually placed to beneficial use. It is also understood ow for a reasonable lowering of the static water level. This	temporary allowance a pendent upon the amou od that this right mu
vitins ins compete Complete Co	the a two (2) inch opening for measuring depth to water. If the versust be installed and maintained to prevent waste. A total talled and maintained in the discharge pipeline near the point urate measurements must be kept of water placed to beneficial er must be installed before any use of water begins, or before pletion of Work is filed. This source is located within an artice Engineer, pursuant to NRS 534.030. The State retains the rof the water herein granted at any and all times. This permit does not extend the permittee the right of ingredic, private or corporate lands. NTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied end. 1.0	e well is flowing, a lizing meter must be tof diversion and use. The totalizing a the Proof of rea designated by the right to regulate the ess and ogress on to beneficial use, and not to
vitins ins iccompete Compista ise coub.	ve must be installed and maintained to prevent waste. A total talled and maintained in the discharge pipeline near the point urate measurements must be kept of water placed to beneficial er must be installed before any use of water begins, or before pletion of Work is filed. This source is located within an arte Engineer, pursuant to NRS 534.030. The State retains the rof the water herein granted at any and all times. This permit does not extend the permittee the right of ingredic, private or corporate lands. NTINUED ON PAGE 2) examount of water to be appropriated shall be limited to the amount which can be applied end. 1.0	well is flowing, a lizing meter must be of diversion and use. The totalizing the Proof of rea designated by the right to regulate the ess and ogress on to beneficial use, and not to
vitins ins icco icco icco icco icco icco icco icc	ve must be installed and maintained to prevent waste. A total talled and maintained in the discharge pipeline near the point urate measurements must be kept of water placed to beneficial er must be installed before any use of water begins, or before pletion of Work is filed. This source is located within an arte Engineer, pursuant to NRS 534.030. The State retains the rof the water herein granted at any and all times. This permit does not extend the permittee the right of ingredic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied eed. 1.0 cubic feet per second. of of completion of work shall be filed before.	well is flowing, a lizing meter must be of diversion and use. The totalizing a the Proof of rea designated by the right to regulate the ess and ogress on to beneficial use, and not to June 28, 1996 July 28, 1996
viting all in the control of the con	ve must be installed and maintained to prevent waste. A total talled and maintained in the discharge pipeline near the point urate measurements must be kept of water placed to beneficial er must be installed before any use of water begins, or before pletion of Work is filed. This source is located within an arte Engineer, pursuant to NRS 534.030. The State retains the rof the water herein granted at any and all times. This permit does not extend the permittee the right of ingredic, private or corporate lands. NTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied end——————————————————————————————————	well is flowing, a lizing meter must be of diversion and use. The totalizing a the Proof of rea designated by the right to regulate the ess and ogress on to beneficial use, and not to June 28, 1996 July 28, 1996 June 28, 1999
vitins laccineta localise localise Vicinity Vici	ve must be installed and maintained to prevent waste. A total talled and maintained in the discharge pipeline near the point urate measurements must be kept of water placed to beneficial er must be installed before any use of water begins, or before pletion of Work is filed. This source is located within an arte Engineer, pursuant to NRS 534.030. The State retains the rof the water herein granted at any and all times. This permit does not extend the permittee the right of ingredic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied eed. 1.0 cubic feet per second. of of completion of work shall be filed before.	well is flowing, a lizing meter must be of diversion and use. The totalizing a the Proof of rea designated by the right to regulate the ess and ogress on to beneficial use, and not to June 28, 1996 July 28, 1999 July 28, 1999
vitivalins accompeted competed	ve must be installed and maintained to prevent waste. A total talled and maintained in the discharge pipeline near the point urate measurements must be kept of water placed to beneficial er must be installed before any use of water begins, or before pletion of Work is filed. This source is located within an arte Engineer, pursuant to NRS 534.030. The State retains the rof the water herein granted at any and all times. This permit does not extend the permittee the right of ingredic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied end L.O	well is flowing, a lizing meter must be of diversion and use. The totalizing a the Proof of rea designated by the right to regulate the ess and ogress on to beneficial use, and not to June 28, 1996 July 28, 1999 July 28, 1999
vitins lins leccineticompleta	ve must be installed and maintained to prevent waste. A total talled and maintained in the discharge pipeline near the point urate measurements must be kept of water placed to beneficial er must be installed before any use of water begins, or before pletion of Work is filed. This source is located within an arte Engineer, pursuant to NRS 534.030. The State retains the rof the water herein granted at any and all times. This permit does not extend the permittee the right of ingredic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied end. L.O	well is flowing, a lizing meter must be of diversion and use. The totalizing a the Proof of rea designated by the right to regulate the ess and ogress on to beneficial use, and not to June 28, 1996 July 28, 1999 July 28, 1999 N/A
vitivalians accompanies accomp	ve must be installed and maintained to prevent waste. A total talled and maintained in the discharge pipeline near the point urate measurements must be kept of water placed to beneficial er must be installed before any use of water begins, or before pletion of Work is filed. This source is located within an arte Engineer, pursuant to NRS 534.030. The State retains the rof the water herein granted at any and all times. This permit does not extend the permittee the right of ingredic, private or corporate lands. NTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied end to be prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before plication of water to beneficial use shall be filed on or before. The prosecuted with reasonable diligence and be completed on or before plication of water to beneficial use shall be filed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before.	well is flowing, a lizing meter must be of diversion and use. The totalizing the Proof of rea designated by the right to regulate the ess and ogress on to beneficial use, and not to June 28, 1996 July 28, 1999 July 28, 1999 N/A ATCHAEL TURNIPSEED to set my hand and the scal of my
vitins ins competition ins com	ve must be installed and maintained to prevent waste. A total talled and maintained in the discharge pipeline near the point urate measurements must be kept of water placed to beneficial er must be installed before any use of water begins, or before pletion of Work is filed. This source is located within an arte Engineer, pursuant to NRS 534.030. The State retains the rof the water herein granted at any and all times. This permit does not extend the permittee the right of ingredict, private or corporate lands. NTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied end to be prosecuted with reasonable diligence and be completed on or before. The must be prosecuted with reasonable diligence and be completed on or before. The plication of water to beneficial use shall be filed on or before. The proport of proof of beneficial use shall be filed on or before. The plication of work filed to be shall be filed on or before. The pletion of work filed to beneficial use shall be filed on or before. The pletion of work filed to beneficial use shall be filed on or before. The pletion of work filed to beneficial use shall be filed on or before. The pletion of work filed to beneficial use shall be filed on or before. The pletion of work filed to be shall be filed on or before. The pletion of work filed to be shall be filed on or before. The pletion of work filed to be shall be filed on or before. The pletion of work filed to be shall be filed on or before. The pletion of work filed to be shall be filed on or before.	well is flowing, a lizing meter must be of diversion and use. The totalizing the Proof of rea designated by the right to regulate the ess and ogress on to beneficial use, and not to June 28, 1996 July 28, 1999 July 28, 1999 N/A ATCHAEL TURNIPSEED to set my hand and the scal of my

Page 2 57145

(PERMIT TERMS CONTINUED)

This permit will allow for the dewatering of the pit area. Any water obtained as a result of this dewatering operation shall be used first by the permittee for mining, milling, heap leaching, drilling, road watering and other related mining and milling uses herein after referred to as mining and milling uses within the described place of use of this permit in an amount not to exceed 2367 acre-feet annually (1467 gallons per minute). This limit includes any evaporative and system losses.

Any water produced from this dewatering operation in excess of 2367.0 acre-feet annually shall be returned to the Crescent Valley Groundwater Basin by shallow infiltration. The design of the infiltration site and the delivery system to the site shall be submitted to the State Engineer prior to any diversion of water to the infiltration site.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies and is specifically issued contingent upon approval by the Nevada Division of Environmental Protection of the disposal of water from the dewatering project.

This permit is subject to the "Pipeline Gold Project, Groundwater and Surface Water Monitoring Plan" submitted to the State Engineer on August 2, 1993.

The State Engineer may require additional monitoring should conditions warrant such modification.

The State Engineer retains the right to regulate pumping from the dewatering project and/ox any other groundwater withdrawals herein authorized to protect the public interest and existing rights. This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

A monthly report shall be submitted to the State Engineer within 15 days after the end of each month which shall include: the volume of water pumped from each well, the rate of diversion pumped from each well, the measurement of pumping water level (drawdown) from each well, the volume of water consumptively used for mining and milling uses, the amount of water diverted to the infiltration site, the amount of water evaporated both from the infiltration site and the delivery system to the infiltration site.

This permit incorporates the provisions of "Order Adopting Rules for Well Spacing and Modification of Regulations for Water Well and Related Drilling in the Southern Area of the Heretofore Designated Crescent Valley Ground Water Basin", entered October 6, 1993, Order Number 1082, on file in the office of the State Engineer.

The issuance of this permit is subject to the stipulation between Cortez Joint Venture and Lander and Pershing Counties dated May 21, 1993, on file in the office of the State Engineer under Permit 57133.

The total combined diversion rate under Permits 57133; 57134; 57135; 57136; 57137; 57138; 57139; 57140; 57141; 57142; 57143; 57144; 57145; 57146; 57147; 57148; 57798; 57799; 57800; 58366; 58368; 58370; 59072; 59073; 59074 and 59075 shall not exceed 67 c.f.s. (30,072 g.p.m.) and the total combined withdrawal of water under these permits shall not exceed 48506 acre-feet annually.

The State Engineer recognizes that this appropriation when combined with other permits causes a large cone of depression which may take the water levels many years to return to equilibrium (pre-development).



